# KERN FOB5K-3NS



Super compact stainless steel balance with high level of protection against dust and water splashes



Measuring system	
Adjustment options:	External calibration
Linearity:	2 g
Readability [d]:	1 g
Recommended adjusting weight:	5 kg (M1)
Repeatability:	1 g
Resolution:	5000
Stabilisation time under laboratory conditions:	2 s
Tare range:	5 kg
Warm up time:	10 min
Weighing capacity [Max]:	5 kg
Weighing system:	Strain gauge
Weighing units:	dwt g lb oz ozt

Display	
Display digit height:	2 cm

Environmental conditions		
Maximum humidity:	95 %	
Maximum operating temperature:	40 °C	
Minimum ambient temperature:	10 °C	
Minimum humidity:	25 %	

Power supply	
Battery:	9 V Block
Input voltage:	230 V AC 50 Hz
Mains adapter:	Mains adapter external
Operating time:	24 h

### Service

Adjustment at the location of installation: 961-247

DAkkS Certificate:	963-127
DAKKO GELIIIGAIE.	900-

### Category

Brand:	KERN
Category:	Balances
Product Group:	Bench scale

Packaging & shipping	
Delivery:	24 h
Dimensions packaging (WxDxH):	255 x 195 x 75 mm
Gross weight:	878 g
Net weight:	760 g
Shinning method:	Parcel service

$\sim$	on	0	10	17	αti	Or	7
U	UII	6	ш	U.L	U.	wi	ı

Casing material:	stainless steel		
Dimensions housing (WxDxH):	170 x 150 x 40 mm		
Dimensions of weighing plate (WxDxH):	120 x 150 x 10 mm		
Material weighing plate:	stainless steel		
Weighing surface (WxD):	120 x 150 mm		

## Piktogramme

### STANDARD



#### **OPTION**

